

LIFT WITH EASE

Efficient and ergonomic
material handling






Item no.: ProWood

ProWood



Weight (kg)	21, 30, 42, 55
Maximum capacity (kg)	100, 120, 200, 60
Type of lifting object	sheet
Function	Tilt
Industry	Beverage industry, Metal industry, Wood and furniture industry, Ventilation industry, Engineering industry
Height (mm)	1112, 1442, 760, 878



ProWood can easily lift and tilt all sorts of panes and panels. Instead of handling heavy and unwieldy boards manually- or even using a forklift- ProWood does the job effortlessly. The adjustable lengths and widths between the vacuum cups, the low-built construction, and the ergonomic design, are features that makes ProWood suitable for most industries. It is especially popular among door and kitchen manufacturers.





Smooth and safe lifting

A green eye indicates when the right vacuum level has been reached and when it is safe to lift. During lifting, the load guard function protects the board from being accidentally released. Proportional control makes it easy to place the board very carefully without being damaged. If the board is to be mounted it can be weightlessly maneuvered directly with the hands, without using the control unit.

Lifting different types of boards

The width and length of the gripper's vacuum cups are adapted depending on how and what kind of load you lift. This means that virtually any type of material can be easily lifted with this lifting tool. We help you to find a suitable solution for you and customize based on your needs.

Versions

	Article number	Weight (kg)	Maximum capacity (kg)	Type of lifting object	Function	Industry	Height (mm)	Configuration height (mm)
	92-10028	55	200	Sheet	Tilt		1442	1028
	92-10016-1	42	100	Sheet	Tilt		1112	1004
	92-10015-1	30	120	Sheet			760	752
	92-10023	21	60	Sheet	Tilt		878	704



CONTACT US

USA

Lifts All Inc.
728 William Blount Dr,
Maryville, TN 37801
USA
E-mail: info@liftsall.us
Telephone: +1 865-324-2014
Website: liftsall.com

HEAD OFFICE WORLDWIDE

Lifts All AB
Passadvägen 10
176 67 Järfälla
Sverige
E-mail: lifting@liftsall.se
Telephone: 08-754 90 15
Website: liftsall.com