

LIFT WITH EASE

Efficient and ergonomic
material handling





Item No: Balancing

Balancing



Weight (kg)	1.1, 2, 3.8
Maximum capacity (kg)	150, 40, 65
Optional control	Balancing
Bal-Trol model	Horizontal, Horizontal PH, Vertical
Balancing type	1-weight, 2-weight, 3-weight, 4-weight, 5-weight















Balancing - making the load weightless

Balancing is unbeatable when there are a variety of objects of the same weight that need to be lifted quickly and weightlessly - for example, from a conveyor belt in the automobile industry. Weightless lifting means that the user can raise and lower the object just by using their hands, without needing to press any buttons on the lifting tool. Balancing gives the user maximum flexibility and precision. Just press the green button to grip the object and press the two red buttons to release.

Balancing with auto start

Balancing with auto start has the same smooth customizable control as balancing, the difference is that the lifting tool itself automatically grips the load. The lifting tool isn't equipped with a grip button, but has the two red off -buttons for releasing the load.

Versions

	Article number	Weight (kg)	Maximum capacity (kg)	Optional control	Bal-Trol model	Balancing type
	91-10062	2	65	Balancing		3-Weight
	91-10061	2	65	Balancing		3-Weight
	91-10060	3-8	65	Balancing	Vertical	2-Weight
	91-10044	2	40	Balancing	Vertical	2-Weight
	91-10037	2	40	Balancing	Horizontal	3-Weight
	91-10036	2	40	Balancing	Vertical	3-Weight
	91-10043	1-1	65	Balancing		1-Weight
	91-10027		40	Balancing	Horizontal	4-Weight
	91-10025	2	40	Balancing	Horizontal	2-Weight
	91-10016		150	Balancing		3-Weight
	91-10064		65	Balancing	Horizontal-Ph	4-Weight
	91-10015		150	Balancing		4-Weight
	91-10054		40	Balancing	Horizontal	5-Weight
	91-10053	2	40	Balancing	Vertical	5-Weight



CONTACT US

USA

Lifts All Inc.
728 William Blount Dr,
Maryville, TN 37801
USA
E-mail: info@liftsall.us
Telephone: +1 865-324-2014
Website: liftsall.com

HEAD OFFICE WORLDWIDE

Lifts All AB
Passadvägen 10
176 67 Järfälla
Sverige
E-mail: lifting@liftsall.se
Telephone: 08-754 90 15
Website: liftsall.com