

LIFT WITH EASE

Efficient and ergonomic
material handling





Item no.: Horizontal PH

Horizontal PH



Weight (kg)	4.5, 10, 11, 11.5, 12, 12.5, 13, 14, 20, 22, 25, 28, 3, 3.2, 3.5, 30, 4, 5, 6, 7, 8, 8.4
Maximum capacity (kg)	100, 150, 20, 250, 30, 40, 50, 65, 75
Stroke length (mm)	1200, 1500, 1800, 2100, 2400, 2700, 300, 3000, 3300, 3400, 3600, 3900, 4200, 5000, 600, 7800, 900
Bal-Trol model	Horizontal PH
Configuration height (mm)	-338, -339, -345, -354, -363, -378, -379, -411, -425, -433, -453, -516

The Horizontal PH Bal-Trol mini is the smallest horizontal Bal-Trol model and is designed for environments where headroom is severely limited. The horizontal mounting frees up vertical space, making the model particularly suitable for low-ceilinged rooms or workstations with limited headroom. Despite its compact size, it offers long stroke lengths, providing great reach and flexibility in the workplace. The model handles loads between 20 and 250 kilograms and is available with stroke lengths ranging from 300 to 7,800 millimeters.











An ideal solution when low headroom is critical but long reach is required.

Versions

	Article number	Weight (kg)	Maximum capacity (kg)	Stroke length (mm)	Bal-Trol model	Configuration height (mm)
	90-10578		65	5000	Horizontal-Ph	378
	90-10571		65	4200	Horizontal-Ph	378
	90-10569	8	65	3300	Horizontal-Ph	378
	90-10566		50	3300	Horizontal-Ph	363
	90-10554		75	3900	Horizontal-Ph	453-2
	90-10552		250	3600	Horizontal-Ph	516
	90-10549	30	250	3000	Horizontal-Ph	516
	90-10548		250	2700	Horizontal-Ph	516
	90-10547		250	2400	Horizontal-Ph	516
	90-10546	28	250	2100	Horizontal-Ph	516
	90-10545	22	250	1800	Horizontal-Ph	516
	90-10544	25	250	1500	Horizontal-Ph	516
	90-10543	20	250	1200	Horizontal-Ph	516
	90-10542		250	900	Horizontal-Ph	516
	90-10541		250	600	Horizontal-Ph	516
	90-10342		40	7800	Horizontal-Ph	354
	90-10428		75	2700	Horizontal-Ph	433
	90-10427		75	2400	Horizontal-Ph	433
	90-10426		75	2100	Horizontal-Ph	433
	90-10425	11	75	1800	Horizontal-Ph	433
	90-10424	13	75	1500	Horizontal-Ph	433
	90-10423	10	75	1200	Horizontal-Ph	433
	90-10422		75	900	Horizontal-Ph	433
	90-10421		75	600	Horizontal-Ph	433

	Article number	Weight (kg)	Maximum capacity (kg)	Stroke length (mm)	Bal-Trol model	Configuration height (mm)
	90-10420		75	3000	Horizontal-Ph	433
	90-10419		100	2700	Horizontal-Ph	425
	90-10418	12-5	100	2400	Horizontal-Ph	425
	90-10417	13	100	2100	Horizontal-Ph	425
	90-10416	12	100	1800	Horizontal-Ph	425
	90-10415	11	100	1500	Horizontal-Ph	425
	90-10414	12	100	1200	Horizontal-Ph	425
	90-10413		100	900	Horizontal-Ph	425
	90-10412		100	600	Horizontal-Ph	425
	90-10411		100	3000	Horizontal-Ph	425
	90-10401	13	150	3900	Horizontal-Ph	411
	90-10399		40	2700	Horizontal-Ph	379
	90-10398		40	2400	Horizontal-Ph	379
	90-10397		40	2100	Horizontal-Ph	379
	90-10396		40	1800	Horizontal-Ph	379
	90-10395		40	1500	Horizontal-Ph	379
	90-10394		40	1200	Horizontal-Ph	379
	90-10393		40	900	Horizontal-Ph	379
	90-10392		40	600	Horizontal-Ph	379
	90-10391		40	7800	Horizontal-Ph	379
	90-10390		40	3400	Horizontal-Ph	379
	90-10389		40	3000	Horizontal-Ph	379
	90-10388		50	2700	Horizontal-Ph	379
	90-10387		50	2400	Horizontal-Ph	363
	90-10386	6	50	2100	Horizontal-Ph	363
	90-10385	6	50	1800	Horizontal-Ph	363

	Article number	Weight (kg)	Maximum capacity (kg)	Stroke length (mm)	Bal-Trol model	Configuration height (mm)
	90-10383		50	1200	Horizontal-Ph	363
	90-10382		50	900	Horizontal-Ph	363
	90-10381		50	600	Horizontal-Ph	363
	90-10380		50	3000	Horizontal-Ph	363
	90-10369		20	2700	Horizontal-Ph	345
	90-10368		20	2400	Horizontal-Ph	345
	90-10367		20	2100	Horizontal-Ph	345
	90-10366		20	1800	Horizontal-Ph	345
	90-10365	4	20	1500	Horizontal-Ph	345
	90-10364		20	1200	Horizontal-Ph	345
	90-10362		20	600	Horizontal-Ph	345
	90-10361		20	3000	Horizontal-Ph	345
	90-10360		30	2700	Horizontal-Ph	339
	90-10359		30	2400	Horizontal-Ph	339
	90-10358		30	2100	Horizontal-Ph	339
	90-10357		30	1800	Horizontal-Ph	339
	90-10356	4	30	1500	Horizontal-Ph	339
	90-10355		30	1200	Horizontal-Ph	339
	90-10354		30	900	Horizontal-Ph	339
	90-10353		30	600	Horizontal-Ph	339
	90-10352		30	3600	Horizontal-Ph	339
	90-10384	5	50	1500	Horizontal-Ph	363
	90-10363		20	900	Horizontal-Ph	338
	90-10403		150	600	Horizontal-Ph	411
	90-10343		40	600	Horizontal-Ph	354
	90-10341		40	3000	Horizontal-Ph	354

	Article number	Weight (kg)	Maximum capacity (kg)	Stroke length (mm)	Bal-Trol model	Configuration height (mm)
	90-10410		150	2700	Horizontal-Ph	411
	90-10409	14	150	2400	Horizontal-Ph	411
	90-10408	14	150	2100	Horizontal-Ph	411
	90-10407	12	150	1800	Horizontal-Ph	411
	90-10406	12	150	1500	Horizontal-Ph	411
	90-10405	10	150	1200	Horizontal-Ph	411
	90-10404	11-5	150	900	Horizontal-Ph	411
	90-10400	11	150	3000	Horizontal-Ph	411
	90-10379	8-4	65	2700	Horizontal-Ph	378
	90-10378	7	65	2400	Horizontal-Ph	378
	90-10377	7	65	2100	Horizontal-Ph	378
	90-10376	6	65	1800	Horizontal-Ph	378
	90-10375	6	65	1500	Horizontal-Ph	378
	90-10374	7	65	1200	Horizontal-Ph	378
	90-10373		65	900	Horizontal-Ph	378
	90-10372		65	600	Horizontal-Ph	378
	90-10371		65	300	Horizontal-Ph	378
	90-10370	6	65	3000	Horizontal-Ph	378
	90-10351		30	3000	Horizontal-Ph	339
	90-10350		40	2700	Horizontal-Ph	354
	90-10349	4-5	40	2400	Horizontal-Ph	354
	90-10348	4	40	2100	Horizontal-Ph	354
	90-10347	3-2	40	1800	Horizontal-Ph	354
	90-10346	3-5	40	1500	Horizontal-Ph	354
	90-10345	3	40	1200	Horizontal-Ph	354
	90-10344		40	900	Horizontal-Ph	354



CONTACT US

USA

Lifts All Inc.
728 William Blount Dr,
Maryville, TN 37801
USA
E-mail: info@liftsall.us
Telephone: +1 865-324-2014
Website: liftsall.com

HEAD OFFICE WORLDWIDE

Lifts All AB
Passadvägen 10
176 67 Järfälla
Sverige
E-mail: lifting@liftsall.se
Telephone: 08-754 90 15
Website: liftsall.com