

# LIFTS ALL



## LIFT HIGHER WITH MANHATTAN


Lifts All AB is one of the world's leading manufacturers of lifting tools. Our wide product range supplies industries all over the globe with tailor-made ergonomic solutions. We lift all!

The Manhattan "mini truck" is a great tool when you want to lift high and stack material where it is difficult to reach and when you need a smoother tool than a regular forklift. The lift can be designed after all kinds of lifting objects and can lift up to 300 kg with only compressed air of 6-7 bar. It can be easily moved around and takes up very little space of the working area.



**89-10117**

**89-10117**  
Max load: 14 kg  
Control: Pro Speed Handle  
Functions: Lifting rolls of thread by the core with expander



**89-10288**

**89-10288**  
Max load: 50 kg  
Control: Pro Speed Handle  
Functions: Lifting concret blocks with 90 degrees tilt

We recommend using Bal-Trol FV03 or PV12/4 to all Manhattan lifts.

**3595**  
Max load: 50kg  
Control: Pro Speed Handle  
Functions: Lifting carton boxes with clamping hooks



**3595**



**3595**



**89-10224**



**4730**

**89-10224**  
 Max load: 40 kg  
 Control: Pro Speed Handle  
 Functions: Lifting carton boxes with vacuum technique

**4730**  
 Max load: 20 kg  
 Control: Pro Speed Handle  
 Functions: Lifting contactors



**89-10310**

Just push Play  
 to view video on  
[youtube.com/LiftsAll!](https://www.youtube.com/LiftsAll!)




**89-10310**  
 Max load: 96 kg  
 Control: Pro Speed Handle  
 Functions: Lifting boxes of bread high up



**89-10310**

# YOUR COMPLETE LIFTING SYSTEM



## Overhead rail system

Our lightweight overhead rail system is extremely flexible and silent.

## Bal-Trol

The small, flexible lifting cylinder is powered by compressed air only.

## Basic

With the all-round lift Basic lifting is quick and smooth!

---

## LIFTS **ALL**

Passadvägen 10  
SE-177 70 Järfälla  
Sweden

Tel: +46 8-754 90 15  
Fax: +46 8-626 90 15  
E-mail: [lifting@liftsall.se](mailto:lifting@liftsall.se)  
Website: [www.liftsall.com](http://www.liftsall.com)